

**SMAJ body marking**

Reverse Stand off Voltage, $V_R$ (Volts)	Tolerance	PART NUMBER	Marking	PART NUMBER	Marking
		UNI-Directional	UNI	BI-Directional	BI
5.0	10%	SMAJ5.0	AD	SMAJ5.0C	WD
5.0	5%*	SMAJ5.0A	AE	SMAJ5.0CA	WE
6.0	10%	SMAJ6.0	AF	SMAJ6.0C	WF
6.0	5%*	SMAJ6.0A	AG	SMAJ6.0CA	WG
6.5	10%	SMAJ6.5	AH	SMAJ6.5C	WH
6.5	5%*	SMAJ6.5A	AK	SMAJ6.5CA	WK
7.0	10%	SMAJ7.0	AL	SMAJ7.0C	WL
7.0	5%*	SMAJ7.0A	AM	SMAJ7.0CA	WM
7.5	10%	SMAJ7.5	AN	SMAJ7.5C	WN
7.5	5%*	SMAJ7.5A	AP	SMAJ7.5CA	WP
8.0	10%	SMAJ8.0	AQ	SMAJ8.0C	WQ
8.0	5%*	SMAJ8.0A	AR	SMAJ8.0CA	WR
8.5	10%	SMAJ8.5	AS	SMAJ8.5C	WS
8.5	5%*	SMAJ8.5A	AT	SMAJ8.5CA	WT
9	10%	SMAJ9	AU	SMAJ9C	WU
9	5%*	SMAJ9A	AV	SMAJ9CA	WV
10	10%	SMAJ10	AW	SMAJ10C	WW
10	5%*	SMAJ10A	AX	SMAJ10CA	WX
11	10%	SMAJ11	AY	SMAJ11C	WY
11	5%*	SMAJ11A	AZ	SMAJ11CA	WZ
12	10%	SMAJ12	BD	SMAJ12C	XD
12	5%*	SMAJ12A	BE	SMAJ12CA	XE
13	10%	SMAJ13	BF	SMAJ13C	XF
13	5%*	SMAJ13A	BG	SMAJ13CA	XG
14	10%	SMAJ14	BH	SMAJ14C	XH
14	5%*	SMAJ14A	BK	SMAJ14CA	XK
15	10%	SMAJ15	BL	SMAJ15C	XL
15	5%*	SMAJ15A	BM	SMAJ15CA	XM
16	10%	SMAJ16	BN	SMAJ16C	XN
16	5%*	SMAJ16A	BP	SMAJ16CA	XP
17	10%	SMAJ17	BQ	SMAJ17C	XQ
17	5%*	SMAJ17A	BR	SMAJ17CA	XR
18	10%	SMAJ18	BS	SMAJ18C	XS
18	5%*	SMAJ18A	BT	SMAJ18CA	XT
20	10%	SMAJ20	BU	SMAJ20C	XU

\* Note: A suffix on part number is 5% Tolerance parts

**SMAJ body marking**

Reverse Stand off Voltage, $V_R$ (Volts)	Tolerance	PART NUMBER	Marking	PART NUMBER	Marking
		UNI-Directional	UNI	BI-Directional	BI
20	5%*	SMAJ20A	BV	SMAJ20CA	XV
22	10%	SMAJ22	BW	SMAJ22C	XW
22	5%*	SMAJ22A	BX	SMAJ22CA	XX
24	10%	SMAJ24	BY	SMAJ24C	XY
24	5%*	SMAJ24A	BZ	SMAJ24CA	XZ
26	10%	SMAJ26	CD	SMAJ26C	YD
26	5%*	SMAJ26A	CE	SMAJ26CA	YE
28	10%	SMAJ28	CF	SMAJ28C	YF
28	5%*	SMAJ28A	CG	SMAJ28CA	YG
30	10%	SMAJ30	CH	SMAJ30C	YH
30	5%*	SMAJ30A	CK	SMAJ30CA	YK
33	10%	SMAJ33	CL	SMAJ33C	YL
33	5%*	SMAJ33A	CM	SMAJ33CA	YM
36	10%	SMAJ36	CN	SMAJ36C	YN
36	5%*	SMAJ36A	CP	SMAJ36CA	YP
40	10%	SMAJ40	CQ	SMAJ40C	YQ
40	5%*	SMAJ40A	CR	SMAJ40CA	YR
43	10%	SMAJ43	CS	SMAJ43C	YS
43	5%*	SMAJ43A	CT	SMAJ43CA	YT
45	10%	SMAJ45	CU	SMAJ45C	YU
45	5%*	SMAJ45A	CV	SMAJ45CA	YV
48	10%	SMAJ48	CW	SMAJ48C	YW
48	5%*	SMAJ48A	CX	SMAJ48CA	YX
51	10%	SMAJ51	CY	SMAJ51C	YY
51	5%*	SMAJ51A	CZ	SMAJ51CA	YZ
54	10%	SMAJ54	RD	SMAJ54C	ZD
54	5%*	SMAJ54A	RE	SMAJ54CA	ZE
58	10%	SMAJ58	RF	SMAJ58C	ZF
58	5%*	SMAJ58A	RG	SMAJ58CA	ZG
60	10%	SMAJ60	RH	SMAJ60C	ZH
60	5%*	SMAJ60A	RK	SMAJ60CA	ZK
64	10%	SMAJ64	RL	SMAJ64C	ZL
64	5%*	SMAJ64A	RM	SMAJ64CA	ZM
70	10%	SMAJ70	RN	SMAJ70C	ZN
70	5%*	SMAJ70A	RP	SMAJ70CA	ZP

\* Note: A suffix on part number is 5% Tolerance parts



Expertise Applied | Answers Delivered

**SMAJ** body marking

Reverse Stand off Voltage, $V_R$ (Volts)	Tolerance	PART NUMBER	Marking	PART NUMBER	Marking
		UNI-Directional	UNI	BI-Directional	BI
75	10%	SMAJ75	RQ	SMAJ75C	ZQ
75	5%*	SMAJ75A	RR	SMAJ75CA	ZR
78	10%	SMAJ78	RS	SMAJ78C	ZS
78	5%*	SMAJ78A	RT	SMAJ78CA	ZT
85	10%	SMAJ85	RU	SMAJ85C	ZU
85	5%*	SMAJ85A	RV	SMAJ85CA	ZV
90	10%	SMAJ90	RW	SMAJ90C	ZW
90	5%*	SMAJ90A	RX	SMAJ90CA	ZX
100	10%	SMAJ100	RY	SMAJ100C	ZY
100	5%*	SMAJ100A	RZ	SMAJ100CA	ZZ
110	10%	SMAJ110	SD	SMAJ110C	VD
110	5%*	SMAJ110A	SE	SMAJ110CA	VE
120	10%	SMAJ120	SF	SMAJ120C	VF
120	5%*	SMAJ120A	SG	SMAJ120CA	VG
130	10%	SMAJ130	SH	SMAJ130C	VH
130	5%*	SMAJ130A	SK	SMAJ130CA	VK
150	10%	SMAJ150	SL	SMAJ150C	VL
150	5%*	SMAJ150A	SM	SMAJ150CA	VM
160	10%	SMAJ160	SN	SMAJ160C	VN
160	5%*	SMAJ160A	SP	SMAJ160CA	VP
170	10%	SMAJ170	SQ	SMAJ170C	VQ
170	5%*	SMAJ170A	SR	SMAJ170CA	VR
180	10%	SMAJ180	SS	SMAJ180C	VS
180	5%*	SMAJ180A	ST	SMAJ180CA	VT
200	10%	SMAJ200	SU	SMAJ200C	VU
200	5%*	SMAJ200A	SV	SMAJ200CA	VV
220	10%	SMAJ220	SW	SMAJ220C	VW
220	5%*	SMAJ220A	SX	SMAJ220CA	VX
250	10%	SMAJ250	SY	SMAJ250C	VY
250	5%*	SMAJ250A	SZ	SMAJ250CA	VZ
300	10%	SMAJ300	TD	SMAJ300C	UD
300	5%*	SMAJ300A	TE	SMAJ300CA	UE
350	10%	SMAJ350	TF	SMAJ350C	UF
350	5%*	SMAJ350A	TG	SMAJ350CA	UG
400	10%	SMAJ400	TH	SMAJ400C	UH

\* Note: A suffix on part number is 5% Tolerance parts



Expertise Applied | Answers Delivered

**SMAJ** body marking

Reverse Stand off Voltage, $V_R$ (Volts)	Tolerance	PART NUMBER	Marking	PART NUMBER	Marking
		UNI-Directional	UNI	BI-Directional	BI
400	5%*	SMAJ400A	TK	SMAJ400CA	UK
440	10%	SMAJ440	TL	SMAJ440C	UL
440	5%*	SMAJ440A	TM	SMAJ440CA	UM

\* Note: A suffix on part number is 5% Tolerance parts