
# Product data sheet Characteristics

## XUSZMD076

Telemecanique Safety light curtains XUSL, Mirrors for light curtains with fastening systems 885 mm, Hp = 760 mm





#### Main

Range of Product	Telemecanique Safety light curtains XUSL
Accessory / separate part category	Adaptation accessories
Accessory / Separate Part Type	90° mirror adaptor
Product Compatibility	XUSL.E76
Accessory / separate part destination	Safety light curtain type 4 Safety light curtain type 2
Material	Glass
Mirror height	34.84 in (885 mm)
Height protected	29.92 in (760 mm)

#### Complementary

Sensing distance reduction coefficient	0.85 Sn
Net Weight	6.17 lb(US) (2.8 kg)

#### Ordering and shipping details

ordorning and ompping dotailo	
Category	22455-LIGHT CURTAINS - XUSL
Discount Schedule	DS2
GTIN	3389119618793
Nbr. of units in pkg.	1
Package weight(Lbs)	10.65 lb(US) (4.83 kg)
Returnability	No
Country of origin	IT

#### **Packing Units**

PCE	
5.71 in (14.5 cm)	
7.87 in (20 cm)	
51.57 in (131 cm)	
P12	
16	
249.12 lb(US) (113.0 kg)	
29.53 in (75 cm)	
31.50 in (80 cm)	
47.24 in (120 cm)	
	5.71 in (14.5 cm) 7.87 in (20 cm) 51.57 in (131 cm) P12 16 249.12 lb(US) (113.0 kg) 29.53 in (75 cm) 31.50 in (80 cm)

### Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS  Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information

# XUSZMD076

#### **Dimensions**

