


Specification Sheet

Part Number: 151-00783



Clip includes an internal rib that spans the inside of the bracket to fit securely into the profile of the tubing to prevent lateral movement and slipping of the tubing.

Extended fir tree allows for a wide range of panel thicknesses.

Fir tree design provides low insertion forces and high extraction forces.

Side Convoluted Tubing Clip, Max Bundle Diameter .6", PA66HIRHS, Black, 5000/pkg

Article Number 151-00783

Type CTCFT6

Color Black (BK)

Quantity Per carton

Product Description
Convoluted Tube Clips provide a quick and easy method for firmly securing corrugated covered cables and wires to a surface. Applications such as this can be found in a wide variety of industries such as the wire harness, automotive, trucking, and heavy equipment manufacturing industries.

Short Description
Side Convoluted Tubing Clip, Max Bundle Diameter .6", PA66HIRHS, Black, 5000/pkg

Global Part Name

CTCFT6-PA66HIRHS-BK

Length L (Imperial)

0.43

Length L (Metric)

11.0

Fixation Method

Fir Tree

Variant

Clips

Width W (Imperial)

0.43

Width W (Metric)

11.0

Bundle Diameter Min (Imperial)

0.43

Bundle Diameter Min (Metric)

11.0

Bundle Diameter Max (Imperial)

0.59

Bundle Diameter Max (Metric)

15.0

Height H (Imperial)

0.73

Height H (Metric)

18.5

Nominal Diameter (Imperial)

1.56

Nominal Diameter (Metric)

15.0

Panel Thickness Min (Imperial)

0.03

| | |
|---|--|
| Panel Thickness Max (Imperial) | 0.18 |
| Panel Thickness Min (Metric) | 0.7 |
| Panel Thickness Max (Metric) | 4.5 |
| Mounting Hole Diameter D (Imperial) | 0.25 - 0.28 |
| Mounting Hole Diameter D (Metric) | 6.3 - 6.7 mm |
| Mounting Hole Diameter D Min (Imperial) | 0.25 |
| Mounting Hole Diameter D Max (Imperial) | 0.26 |
| Mounting Hole Diameter D Max (Metric) | 6.7 |
| Material | Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS) |
| Material Shortcut | PA66HIRHS |
| UV Resistant (Yes/No) | No |
| Operating Temperature | -40°F to +230°F (-40°C to +110°C) |
| Reach Compliant (Article 33) | Yes |
| ROHS Compliant | Yes |

Package Quantity (Imperial) 5003

Package Quantity (Metric) 5000

Customs Number 3926909988