

## Specification Sheet

Part Number: 151-02262



Clip can be installed by hand – no need for hardware or tools. Design provides low insertion and high extraction force, for simple, secure performance.

Clip keeps bundle away from areas that could cause damage due to rubbing.

Standoff Bundling Clip, 1.97" Long, Panel Thickness 0.02 - 0.16", PA66HIRHS, Black, 1000/carton

Article Number	151-02262
Type	SOC13FTOVAL
Color	Black (BK)
Quantity Per	carton
Product Description	Bundling clips are designed to provide simple and easy methods of securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using bundle or cable ties. The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters. Standard bundling clips are available as well as standoff and stud mount versions.
Short Description	Standoff Bundling Clip, 1.97" Long, Panel Thickness 0.02 - 0.16", PA66HIRHS, Black, 1000/carton

Global Part Name

SOC13FTOVAL-PA66HIRHS-BK

Length L (Imperial)

1.97

Length L (Metric)

50.0

Offset Length (Imperial)

0.79

Offset Length (Metric)

20.0

Fixation Method

Fir Tree for oval holes

Panel Thickness Min (Imperial)

0.02

Panel Thickness Max (Imperial)

0.16

Panel Thickness Min (Metric)

0.6

Panel Thickness Max (Metric)

4.0

Mounting Hole Diameter D (Imperial)

0.25 x 0.5

Mounting Hole Diameter D (Metric)

6.5 x 12.5 mm

Mounting Hole Diameter D Min (Imperial)

0.25

Mounting Hole Diameter D Max (Imperial)

0.5

Mounting Hole Diameter D Max (Metric)

12.5

Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Operating Temperature	-40°F to +230°F (-40°C to +110°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909988

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)