

## Product Change Notice

Date:	7/23/19
Overview:	Change to PN LZ53 / creation of new PN LZ53-EPF
Reason for Change:	We have been offering two different finger guard styles (with the same form, fit, and function) under part number LZ53. To avoid confusion and allow for both versions to be ordered moving forward, we've created new part number LZ53-EPF to differentiate them.
Affected Part No(s):	Existing PN LZ53 / New PN LZ53-EPF
Design Change Detail:	The LZ53 features a flat center disc, the LZ53-EPF does not
Effective Date:	Immediately
Last Time Buy Deadline:	N/A
Pricing:	The LZ53-EPF has been the most commonly shipped version and will therefore retain pricing; the LZ53 has updated pricing.
ebm-papst employee:	Jeannine Zenobi
Attachments:	Drawings of the LZ53 and LZ53-EPF to aid in the differentiation
Comments:	Please see Page 2 for an image comparison




Form No: 1274	Quality Record - No	Page 2 of 2
Rev. – Orig, Released 08/28/14	Retention Period – 1 year	Dept. Owner – Sales/Marketing

ebn-papst MFG. NOTES

1	MATERIAL: C1008 BRIGHT BASIC WIRE
2	FINISH: BRIGHT NICKEL CHROME
3	RINGS: .071" DIA. (1.8MM) X 10
4	RIBS: .091" DIA (2.3MM) X2
5	WELDED JOINTS TO WITHSTAND 88 LBS PULL FORCE
6	SPACING BETWEEN RINGS TO BE EQUAL DISTANCE .193" (4.89MM)
7	TOLERANCES ARE ± .020" (.5MM) UNLESS OTHERWISE NOTED


REV.	EC #	REVISION DESCRIPTION	DATE	D.ENG.	CHECKER
000	N/A	5300 SERIES FINGER GUARD ep-F USA Version	03/20/19	DTM	JPA



<b>ebn-papst Inc. DISCLOSURE</b> THIS DOCUMENT IS THE PROPERTY OF ebn-papst Inc. ITS USE IS AUTHORIZED BY ebn-papst Inc. ONLY. ALL QUESTIONS MUST BE REFERRED TO ebn-papst Inc. PERSONNEL: DESIGN ENG., MFG.ENG., AND / OR PURCHASING.  <b>CAUTION:</b> ANY PRINTED COPY IS UNCONTROLLED AND TO BE USED FOR REFERENCE ONLY. REFER TO ebn-papst In. CAD SYS. FOR VERIFICATION.  Form No. 1073 Rev. H		MATERIAL: SEE NOTES FINISH: SEE NOTES IF APPLICABLE PLACE SECOND FINISH AND DESCRIPTION HERE ALL INNER BEND RADII = 1mm BOTTOM BEND UNLESS OTHERWISE STATED TOLERANCES, UNLESS OTHERWISE STATED:		BEND DEDUCTION N/A COSMETICS PER ebn-papst SPEC-Q-1 SEE CAD FOR DIMS. NOT SHOWN BREAK ALL SHARP EDGES ALL DIMENSIONS ARE IN INCHES		PART NO. LZ53-EPF TITLE 5300 SERIES F. GUARD ep-F USA FIRST USED ON LZ53-EPF		
DECIMAL .XXX ± .020 TOLERANCE .XX ± .030		HOLES .XXX ± .003 ANGLES ± 1° REF		TOLERANCES FOR CNC FLAT .XXX EXCLUDING HOLE DIA. +/- .010		DESIGN ENG. DTM ORIG DATE 03/20/19 E# N/A		

Copying of this document, and giving it others and the use or communication of the contents thereof, are forbidden without express authority. Offenders are liable to the payment of damages. All rights are reserved in the event of the grant of a patent or the registration of a utility model or design.

Schutzmerk nach DIN ISO 16016 beachten!  
Refer to protection notice DIN ISO 16016!



<b>FR</b>	V5R16	PAPST	Werkstoff / Material: DIN177-2D5-2trbk		Volumen / Volume (mm <sup>3</sup> ): 10.935,583
SAP-Status/State	Änd.-Nr. / Change-No.	CATIA-System-Version/ CATIA-System-Version	CAD-Umgebung/ CAD-Environment	WerkstoffNr.: 1.0288	Gewicht / Mass (g):
 Tolerierung / Tolerances: DIN7167  Allgemeintoleranzen / Gen. Tolerances: DINISO2768-mK-E	Datum		Name		
	Bearb. / Drawn	15.12.2008	ZIEBOLL		
	Gepr. / Checked	18.12.2008	SEIDLER		
	Freig. / Releas.	18.12.2008	SEIDLER		
			Zchg.-Nr. / Drawing No:		Ers.f.Zchg. / Replaces:
			9920053000		
Dokumenttyp / Type of Document		Teildokument (Blatt/Page)	Index / Index	Format / Size:	Maßstab/Scale
ebm-papst St. Georgen GmbH & Co KG		C2D	001	-	A3 1:1