



DESCRIPTION: 684 SERIES CONTACTS - MACHINED


### NOTE:

# POWER CONTACTS COME PRE-LOADED INTO INSULATORS





#### SIGNAL CONTACTS



09-07-12

REV

1


**40 AMP POWER CONTACT** 

# 4-40 INSERT **BOARDLOCK** FOR Ø 0.130 HOLE 0.158 ± 0.016 [4.00] $0.451 \pm 0.012$ [11.46 ± 0.30]

MOUNTING HARDWARE

# RoHS COMPLIANT

<b>A</b>	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWN: M. S	SIGMON	DATE:	09-07-1
NorComp		SCALE: NTS	SHEET	OF 2	3
MOLCOMP		DWG NO.	84513	3W610	3L461



SHOWN FOR REFERENCE ONLY

## DO NOT SCALE FROM DRAWING

DRAWN: DATE: THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT M. SIGMON 09-07-12 BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. SCALE: SHEET OF REV NorComp NTS 3 3 1 DWG NO. 684S13W6103L461

ROHS COMPLIANT