





DATE	REV	REVISION RECORD	APP	DR	CK
4-11-16	NC	ECO 50369	COLE	KV	COLE

POSITRONIC INDUSTRIES BELIEVES THE DATA ON THIS DRAWING TO BE RELIABLE, SINCE THE TECHNICAL INFORMATION IS GIVEN FREE OF CHARGE, THE USER EMPLOYS SUCH INFORMATION AT HIS OWN DISCRETION AND RISK. POSITRONIC INDUSTRIES ASSUMES NO RESPONSIBILITY FOR RESULTS OBTAINED OR DAMAGES INCURRED FROM USE OF SUCH INFORMATION IN WHOLE OR IN PART.



INSERT TREE

INSERTS COME KITTED WITH HOODS.

NOTES:

1. MATERIALS AND FINISHES:

- HOOD: COMPOSITE, CONDUCTIVE VOLUME RESISTIVITY (1.0 OHM-CM MAX.), UL94V-0. ATTENUATION: 40+ DECIBELS.
- JACKSCREWS: STEEL, ZINC PLATE WITH CHROMATE SEAL.
- CABLE CLAMPS: STEEL, NICKEL PLATE.
- CABLE CLAMP SCREWS: BRASS, ZINC PLATE WITH CHROMATE SEAL.
- COVER SCREWS: STAINLESS STEEL, PASSIVATED.
- INSERT TREE: PBT(EMI), BLACK.

2. DETAILED PRODUCT, MECHANICAL, AND ELECTRICAL INFORMATION IS AVAILABLE IN THE LATEST D-SUB ACCESSORIES PRODUCT PUBLICATION AT CONNECTPOSITRONIC.COM.

3. DIMENSIONS ARE IN INCHES [MILLIMETERS].

	POSITRONIC INDUSTRIES INC. www.connectpositronic.com	
	DECIMAL TOL. ± 0.015 [0.38]	TITLE D25000Z00
ANGULAR TOL. $\pm 5^\circ$	DATE 4-11-16	DRAWING NUMBER SK18786
D SERIES		SCALE N.T.S.
DRAWN BY KUNAL V.		APPROVED BY COLE
REV.		NC