

		REVISIONS			
REV	ECO	DESCRIPTION	DATE	BY	APPR
А3		RELEASE NEW DWG FORMAT	06JAN14	JARRY	
A4	C0540S	UPDATE DIMENSIONS	05AUG16	JONY	TOMMY
A5	-	ADD COLOR OPTION	23NOV20	LOUIE	TOMMY





REQUIRES CONTACT RETENTION WEDGE AW6S

NOTES: UNLESS OTHERWISE SPECIFIED

MATERIAL:
 HOUSING: THERMOPLASTIC
 SEAL: SILICONE RUBBER


2. MODIFICATIONS: END CAP; REDUCED DIA, WIRE SEAL

- 3. SPECIFICATIONS:
 - 3.1 CURRENT RATING: 13 AMPS
 - 3.2 OPERATING TEMPERATURE: -55°C TO +125°C
 - 3.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
 - 3.4 INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 25°C.
 - 3.5 MOISTURE RESISTANCE:

 IP68(1M OF WATER FOR A PERIOD OF 24 HOURS, MATED CONDITION)

 IP69K(MATED CONDITION)
 - 3.6 MATING CYCLE DURABILITY: 100 CYCLES
 - 3.7 RoHS COMPLIANT
- 4. MATING PART: AT04-6P* RECEPTACLE (* = MODIFICATIONS AND COLORS)
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.
- | CONTACT SIZE AND REAR SEAL WIRE RANGE:

 | CONTACT | MIN. INSUL | MAX. INSUL | TYPICAL | WIRE RANGE |
 | SIZE | O.D. | O.D. | WIRE RANGE |
 | 1.35 mm | 3.05 mm | 14 20 AWG |
 | (.053 in) | (.120 in) | (2.0-0.5mm²)



PART NUMBER CHART					
COLOR	PART NUMBER				
GREY	AT06-6S-MM01				
BLACK	AT06-6S-MM01BLK				
BLUE	AT06-6S-MM01BLU				
BROWN	AT06-6S-MM01BRN				
GREEN	AT06-6S-MM01GRN				
RED	AT06-6S-MM01RED				
WHITE	AT06-6S-MM01WHT				
YELLOW	AT06-6S-MM01YEL				
ORANGE	AT06-6S-MM01ORG				

STANDARD MOLDED COLOR IS GREY.
ADDITIONAL COLORS SHOWN IN PART NUMBER
CHART ARE AVAILABLE VIA SPECIAL ORDER.

STANDARD COLOR IS GREY, ADDITION COLOR SHOWN IN -PART NUMBER CHART

	SEE PART N	UMBER C	HART	REF: DT06-6S-CE01, DT06-6S-CE05								
	PART N	PART NUMBER			DESCRIPTION					ITEM		
QUANTITY		ı	MAT	ERI	ALS	i Li	ST					H
UNLESS OTHERWISE SPECIFIED SIGNATURES			Amphenol						1			
1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64		DRAWN:	LOUIE	23NOV20	1		ипрі	iei i	O	ı		
2 PL DEC ±0.15 3 PL DEC ±0.08	Fractions ±1/64 Angles ±1°	CHECKED:	ORION 25NOV20 Sine Systems - www.amphenol-sin-		mphenol-sine	.com		_				
3) Note reference	ence = X ENGINEER: 44724 Morley Drive											
MATERIAL SPECIFICA	TIONS:	APPROVAL:	TOMMY	TOMMY 27NOV20 Clinton Township, MI 48036					1			
	WALLES OF ESTITIONS.				PL	UG, 6	SOCKET, AT	SERIES, E	END (CAP,		
			G IS SUPPLIED F		1	REDU	JCED DIAMET	ER WIRE	SEAL	L		
PROCESS SPECIFICATIONS:		SPECIFICATIO SHOWN HERE THE AMPHENO OF REPRODUC	INS AND PERFORM ON ARE THE PROPERTION ARE IMPLEMENTATION ARE IMPLARE SUBJECT TO	RMANCE DATA ROPERTY OF DN. NO RIGHTS JED. ALL	В	C-	AT06-6S	-MM01X	XX		1510N	
NEXT ASS'Y:		MANUFACTUR	ING VARIATIONS	S.	SCALE: N	ONE		SHEET	1	OF	1	1

AT06-6S-MM01XXX

TITLE: PLUG,6 SOCKET,AT SERIES,END CAP,REDUCED DIA. WIRE SEAL

REV: **A5** SH: 1

AT Series™ - Contact Size 16 Options

	Machined Contacts, Sockets & Pins							
Part Number	Description	Size	AWG	Type				
AT60-215-1631	Male Contact - Pin, Gold-plated	16	14	Machined				
AT62-209-1631	Female Contact - Socket, Gold-plated	16	14	Machined				
AT60-215-16141	Male Contact - Pin, Nickel-plated	16	14	Machined				
AT62-209-16141	Female Contact - Socket, Nickel-plated	16	14	Machined				
AT60-202-1631	Male Contact - Pin, Gold-plated	16	16-20	Machined				
AT62-201-1631	Female Contact - Socket, Gold-plated	16	16-20	Machined				
AT60-202-16141	Male Contact - Pin, Nickel-plated	16	16-20	Machined				
AT62-201-16141	Female Contact - Socket, Nickel-plated	16	16-20	Machined				
AT60-202-1631-22	Male Contact - Pin, Gold-plated	16	22-24	Machined				
AT62-201-1631-22	Female Contact - Socket, Gold-plated	16	22-24	Machined				
AT60-202-16141-22	Male Contact - Pin, Nickel-plated	16	22-24	Machined				
AT62-201-16141-22	AT62-201-16141-22 Female Contact - Socket, Nickel-plated		22-24	Machined				

	Tooling - Machined Contacts				
Part	Part Number	Description			
	CA-5D12	Universal Hand Crimp Tool, Size 12/16/20 (Machined contacts only)			
3	CA-5E12	Pneumatic Crimp Tool, Size 12/16/20 (Machined contacts only)			

	Contact Removal Tools					
Part	Part Number	Description				
	ATRT-100	Used for removal of contacts for A Series™ products				
	AT11-310-1605	Contact Removal Tool, Plastic, Size 16				

	Sealing Plugs					
Part	Part Number	Description				
	A114017	Sealing Plug, Size 16, White				
	A114017-SR	Sealing Plug, Size 16, SR01 Series, Black				
	AT13-217-1605	Locking Sealing Plug, Size 16, Grey				
	AT13-217-1605-SR	Locking Sealing Plug, Size 16, SR01 Series, Red				

Stamped & Formed Contacts, Sockets & Pins							
Part Number	Description		AWG	Туре			
AT60-14-0144	Male Contact - Pin, Gold-plated	16	14-16	Stamped & Formed			
AT62-14-0144	Female Contact - Socket, Gold-plated	16	14-16	Stamped & Formed			
AT60-14-0122	Male Contact - Pin, Nickel-plated	16	14-16	Stamped & Formed			
AT62-14-0122	Female Contact - Socket, Nickel-plated	16	14-16	Stamped & Formed			
AT60-16-0144	Male Contact - Pin, Gold-plated	16	16-18	Stamped & Formed			
AT62-16-0144	Female Contact - Socket, Gold-plated	16	16-18	Stamped & Formed			
AT60-16-0122	Male Contact - Pin, Nickel-plated	16	16-18	Stamped & Formed			
AT62-16-0122	Female Contact - Socket, Nickel-plated	16	16-18	Stamped & Formed			
AT60-16-0644	Male Contact - Pin, Gold-plated	16	18-20	Stamped & Formed			
AT62-16-0644	Female Contact - Socket, Gold-plated	16	18-20	Stamped & Formed			
AT60-16-0622	Male Contact - Pin, Nickel-plated	16	18-20	Stamped & Formed			
AT62-16-0622	Female Contact - Socket, Nickel-plated	16	18-20	Stamped & Formed			
AT60-16-0844	Male Contact - Pin, Gold-plated	16	20-22	Stamped & Formed			
AT62-16-0844	Female Contact - Socket, Gold-plated	16	20-22	Stamped & Formed			
AT60-16-0822	Male Contact - Pin, Nickel-plated	16	20-22	Stamped & Formed			
AT62-16-0822	Female Contact - Socket, Nickel-plated	16	20-22	Stamped & Formed			

Tooling - Stamped & Formed Contacts					
Part	Part Part Number Description				
-	MFX-3950	Crimp Die - Size 16, 18-20AWG (S&F contacts only)			
	MFX-3953	Crimp Die - Size 16, 16-18AWG (S&F contacts only)			
	MFX-3975	Crimp Die - Size 16, 14-16AWG (S&F contacts only)			
	MFX-3990	Crimp Die - Size 16, 20-22AWG (S&F contacts only)			
	ATT-16-00	Hand Crimp Tool - Size 16, 14-16AWG (S&F contacts only)			
	ATT-16-01	Hand Crimp Tool - Size 16, 18-20AWG (\$&F contacts only)			
	ATT-1612-03	Hand Crimp Tool - Size 16, 20-22AWG (S&F contacts only)			

Amphenol Sine Systems 44724 Morley Drive Clinton Township, MI 48036 USA www.amphenol-sine.com 03/2022