



ANATECH ELECTRONICS INC
RF & Microwave Filters & Products

' (%&)' !' (* &') 'AHZ'#') %&)' !') * &)'
.....Cavity Duplexer

Part Number: AD3437-3537D251



Characteristics	Band 1 (Rx)	Band 2 (Tx)
Frequency:	3437.5 MHz	3537.5 MHz
Bandwidth:	50 MHz	50 MHz
Insertion loss:	1.0 dB	1.0 dB
Return loss:	15 dB	15 dB
Ripple:	0.5 dB	0.5 dB
Attenuation:	40 dB@2500 MHz 35 dB@(RxFc+/-25)-121 MHz 50 dB@(RxFc+/-25)-484 MHz 50 dB@(rxFc+/-25)+100 MHz 40 dB@4-10.5 GHz	40 dB@2500 MHz 15 dB@TxFc+/-46 MHz 50 dB@(TxFc+/-25)-240 MHz 50 dB@(TxFc+/-25)-480 MHz 80dB@(Txfc+/-25)-100 MHz 40 dB@4-10.5 GHz

Mechanical	
Mounting Method:	Threaded Mounting Holes
Connector Type:	SMA (F)
Dimensions:	7.00" x 3.25" x 1.25" in

Environmental	
Operating Temperature:	-40 to +70 deg.C
Storage Temperature:	-50 to +90 deg.C

Outline drawing:

