

I. MATERIALS:

 \rightarrow

FRAME - STEEL, NICKEL PLATED BUSHING - BRASS, NICKEL PLATED

SPRINGS - NICKEL SILVER, SPRING TEMPERED

CONTACTS - WELDED CROSS BAR, PALLADIUM

SPACERS - PHENOLIC, TYPE PBE-P

TERMINAL - HOT TIN DIPPED LEAD FREE LIFTER/SPACER - THERMOPLASTIC SCREWS - STEEL, ZINC ELECTROPLATE W/ YELLOW TRIVALENT CHROMATE

- 2. MATES WITH TT253 OR TT254 PLUG.
- 3. THIS PRODUCT IS ROHS COMPLIANT.



(CUSTOMER DRAWING)

											OPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED IDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.			
					UNLESS OTHERWISE SPECIFIED	SIZE	WIDTH		MULT		LBS/M	TEMP	E R	
					I. ALL DIMENSIONS IN INCHES -TWO PLACE DECIMALS ±0.01	FINISH				MATERIAL				
					-THREE PLACE DECIMALS ±0.005	SPEC No.				SPEC No.				
					-ALL DIA. CONCENTRIC WITHIN 0.005 T.I.R.	FIRST USED ON SCA								
C	27710	5-31-16	TO	TJK				2:		(Ru			~ ദ്ര ീ	
В	25554	2-1-07	TO	TJK]2. FEATURES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±0.002	DATE DRAWN	ВҮ СН	HKD	APVD	لتارك	الناكالناك	آلال	all l	
А	25269	1-26-06	ТО	TJK	3. REMOVE ALL BURRS	27-Oct-10	$TO \begin{vmatrix} T \\ 10-2 \end{vmatrix}$	[O 27 - 10 10	TJK -28-10		SHEET	OF		
REV	ECO NUMBER	DATE	ВҮ	APVD		NAME TE	LEPHONE	JACK		PART No.	·		REV	
REVISIONS					DO NOT SCALE DRAWING	3 CONDUCTOR, ROHS				TT34B>	/ \			