



Directions:

To clean, spray surface from a distance of 4-6 inches. Apply cleaner from top to bottom, allowing liquid to flush away flux residues, dirt, and oil. Use extension brush for the removal of encrusted residues. Special valve allows for 360° spraying.

For industrial use only. Read SDS prior to use. Test on plastic prior to using to ensure compatibility.

Material Compatibility:

ABS	Fair
Buna-N	Fair
EPDM	Good
Graphite	Good
HDPE	Good
Kynar™	Good
LDPE	Good
Lexan™	Fair
Neoprene	Fair
Noryl	Fair
Nylon™ 66	Good
Cross-linked PE	Good
Polypropylene	Good
Polystyrene	Fair
PVC	Fair
Silicone Rubber	Fair
Teflon™	Good
Viton™	Fair



11 oz (312g) aerosol / 12 per case



8607 Staticide[®] Flux Remover No Clean EXTRA

Highly Effective for Removing Silicone-Based Substrates

ACL Flux Remover No Clean EXTRA is a powerful cleaner formulated for quick evaporation and removal of silicone-based substrates. This highly effective flux remover leaves surfaces residue-free, making it ideal for cleaning through-hole, BGA pads, and SMT design circuit boards.

The low surface tension formula allows access into hard-to-reach areas and rapid removal of all types of no clean flux and pastes, oxide particles, carbon, organic residues, adhesives, silicone-based conformal coatings, and greases.

Ideal for the following applications:

- General industrial
- Electronics manufacturing and assembly
- Military defense

FEATURES:

- **EXTRA** strength cleaner removes silicon-based coatings
- ***** Formulated with high-purity solvent for specific electronics
- Added ESD brush with chemical-resistant bristles
- Non-corrosive and safe for metals and components
- **B** Flammable
- Dissolves oil, grease, ionic, and non-ionic residues
- **B** Evaporates quickly; non-residual



840 W. 49th Place · Chicago, IL 60609 800.782.8420 · 847.981.9212 · fax 847.981.9278 info@aclstaticide.com · www.aclstaticide.com



ACL Inc. registered to ISO-9001 : 2015 Certificate NO. 10002746